HISTORY DATABASE INQUIRY	HISTOR	\mathbf{Y} \mathbf{DAT}_{A}	ABASE	INQUIRY
--------------------------	--------	---------------------------------	-------	----------------

DOCUMENTS

Chapter 4 Documents

HDET	History Detail Table	4-2
HIST	History Header Table	4-4

HDET: History Detail Table

HDET History Detail Table

ENTER FUNCTION:	TRANS: HDET			
			DATE:	
HISTORY HEADER TABLE			TIME:	
KEY IS DOCUMENT NUME	BER, SUFFIX, STATUS CHG D	ATE, AND TIME	TERM:	
DOCUMENT NUMBER:				
DOC				
TYPE SUFFIX	STATUS	USER ID	CHG DATE	CHG TIME
• • •				
• • •				
• • •				
• • • •				
• • • •				
• • • •				
• • • •				
• • •				
• • •			• • • • • • • • • •	
• • •				
• • •				
• • •			• • • • • • • • • •	

Purpose The purpose of the History Detail Table is to provide the user with the ability to review the

status change history for a given document and document type. History detail records are

written by the system each time a status change occurs.

Screen

Characteristics Inquire History Database.

Procedure

Cross-Reference Chapter 2 History Database Inquiry, 1.1 Inquire History Detail Table.

HDET: History Detail Table

Field Completion

<u>Field</u>	<u>Size</u>	Description
Date	8	Protected. Maintained by system. Current date.
Time	8	Protected. Maintained by system. Current time.
Term	8	Protected. Maintained by system. Terminal ID logged on to transaction.
Document Number	10	Unprotected. Key. If left blank the system will return with the first document number for the document type listed. If input the system will return the document number specified.
Document Title	30	Protected. Inferred interpretation of the document type from BTAB Table DT (Document Type).
Doc Type	3	Protected. The document type of the record.
Suffix	3	Unprotected. Key. The change number of the document if applicable.
Status	3	Protected. Key. The status code of the document at the time of the transaction.
Status Code Title	30	Protected. Inferred interpretation of the status code from the various status code tables.
User ID	4	Protected. The user ID of the person that affected the status code change.
Chg Date	10	Unprotected. Key. If left blank the system will return with the lowest status code for the oldest date. Format is CCYY MM DD.
Chg Time	8	Unprotected. Key. If left blank the system will return with the lowest status code for the oldest date and the lowest time.

HIST: History Header Table

HIST History Header Table

ENTER FUNCTI	ON:	TRAN	S: HIST				
						DATE	:
_					TIME	:	
KEY IS DOCUMENT TYPE, DOCUMENT NUMBER AND SUFFIX			TERM				
KET ID DOCC	THEINT III	E, DOCUMENT N	ONDER AN	D DOFFI	21	I BICH	
TYPE:							
TIPE ·							
NIIMBER	SIIFFTY	RELATED NO.	ACENCY	BIIVED	MATHER	OF DIIRCH	
_		REDITED NO.	HOLINGI	Вотык	WITORE	or roncir.	
	• • •						
	• • •						
	• • •						

Purpose The purpose of the History Header Table is to provide the user with the ability to inquire

history data related to purchasing activity transactions. The user can leaf to the HDET table

for a history detail.

Screen

Characteristics Inquire History Database.

Procedure

Cross-Reference Chapter 2 History Database Inquiry, 1.2 Inquire History Header Table.

HIST: History Header Table

Field Completion

<u>Field</u>	<u>Size</u>	<u>Description</u>
Date	8	Protected. Maintained by system. Current date.
Time	8	Protected. Maintained by system. Current time.
Term	8	Protected. Maintained by system. Terminal ID logged on to transaction.
Type (Document)	3	Unprotected. Key. If left blank the system will return with the first document type in the database. If input the system will return with the document type specified. Must be a valid entry in BTAB Table DT (Document Type).
Document Type Title	30	Protected. Inferred interpretation of the document type from BTAB Table DT (Document Type).
Number (Document)	10	Unprotected. Key. If input the system will return with the document number specified. If left blank the system will return with the first document number in the system for the type specified.
Suffix	3	Unprotected. Key. The change number of the document if applicable.
Related No.	10	Protected. A related document number, if applicable.
Agency	6	Protected. The purchasing agency number associated with the document.
Buyer	3	Protected. The buyer code associated with the document.
Nature of Purch.	2	Protected. Indicates the type of purchase as described in BTAB Table NP (Nature Of Purchase).